


INFORMATION DISCLOSURE CITATION

Atty. Docket No.	4184-0000-09000	Serial No.	08/484,337			
Applicant:	Michael Brewer et al.					
Filing Date:	June 7, 1995	Group	1812 1646			
U.S. PATENT DOCUMENTS						
Examiner Initial*	Document Number	Date	Name	Class	Sub Class	Filing Date If Appropriate
YLR	4,289,690	09/15/81	Pestka et al.			
	4,560,649	12/24/85	Saxena et al.			
	4,578,335	03/25/86	Urdal et al.			
	4,609,546	09/02/86	Hiratani			
	4,675,285	06/23/87	Clark et al.			
	4,789,658	12/06/88	Yoshimoto et al.			
	4,902,502	02/20/90	Nitecki et al.			
	4,904,584	02/27/90	Shaw et al.			
	4,931,544	06/05/90	Katre et al.			
	4,935,233	06/19/90	Bell et al.			
	4,966,888	10/30/90	Saxena et al.			
	5,089,261	02/18/92	Nitecki et al.			
	5,116,964	05/26/92	Capon et al.			
	5,136,021	08/04/92	Dembinski et al.			
	5,153,265	10/06/92	Shadle et al.			
	5,162,430	11/10/92	Rhee et al.			
	5,214,131	05/25/93	Sano et al.			
	5,252,714	10/12/93	Harris et al.			
	5,344,915	09/06/94	LeMaire et al.			
	5,359,037	10/25/94	Wallach et al.			
	5,382,657	01/17/95	Karasiewicz et al.			
	5,395,760	03/07/95	Smith et al.			
	5,478,925	12/26/95	Wallach et al.			
	5,512,544	04/30/96	Wallach et al.			
	5,610,279	03/11/97	Brockhaus et al.			
	5,695,953	12/09/97	Wallach et al.			

RECEIVED
FEB 9 1998
GROUP 1800

YLR 3/98




FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Sub Class	Translation Yes or No
910	EP 0 162 699 ✓	11/27/85	Europe			
	EP 0 225 579 A3 ✓	06/16/87	Europe			
	EP 0 247 860 A2 ✓	12/02/87	Europe			
	EP 0 259 863 A2 ✓	03/16/88	Europe			
	EP 0 334 165 A2 ✓	09/27/89	Europe			
	DE 39 10 323 A1	10/19/89	Germany			
	GB 2 218 101 ✓	11/08/89	Great Britain			
	EP 0 512 528 A2 ✓	11/11/92	Europe			
	DE 3913101.7 ✓	10/19/90	Germany			XX
	EP 0 393 438 A2 ✓	10/24/90	Europe			XX
	EP 0 398 327 A1 ✓	11/22/90	Europe			
	DE 03 920 282.8 ✓	11/91	Germany			XX
	WO 90/13575 ✓	11/15/90	PCT			
	EP 0 417 563 A2 ✓	03/20/91	Europe			
	EP 0 418 014 A1 ✓	03/20/91	Europe			
	WO 91/03553 ✓	03/21/91	PCT			
	EP 0 422 339 ✓	04/17/91	Europe			
	EP 0 433 900 A1	06/26/91	Europe			
	GB 2 246 569 A ✓	02/05/92	Great Britain			
	WO 92/01474 ✓	02/06/92	PCT			
	WO 92/07076 ✓	04/30/92	PCT			
	WO 92/15682 ✓	09/00/92	PCT			
	WO 92/16221 ✓	10/01/92	PCT			
	WO 92/13095 ✓	08/06/92	PCT			
	WO 94/06476 ✓	03/31/94	PCT			
	EP 0 526 905 A2	02/10/93	Europe			
	EP 0 154 316 A2 ✓	09/11/85	Europe			
	EP 0 154 316 B1 ✓	09/13/89	Europe			

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Anderson et al., "Quantative Filter Hybridisation," *Nucleic Acid Hybridization: A Practical Approach*, Hawes et al. (ed.), pp. 73-111 (1985)


910 3/91



220	Aggarwal et al., "Characterization of Receptors for Human Tumour Necrosis Factor and Their Regulation by γ -Interferon," <i>Nature</i> 318:665-667 (1985). ✓
	Baglioni et al., "Binding of Human Tumor Necrosis Factor to High Affinity Receptors on HeLa and Lymphoblastoid Cells Sensitive to Growth Inhibition," <i>J. Biol. Chem.</i> 260(25):13395-13397 (1985). ✓
	Bakouche et al., "Plasma Membrane-Associated Tumor Necrosis Factor, A Non-Integral Membrane Protein Possibly Bound to Its Own Receptor," <i>J. Immunol.</i> 140:1142-1147 (1988). ✓
	Beutler et al., "Passive Immunization against Cachectin/Tumor Necrosis Factor Protects Mice from Lethal Effect of Endotoxin," <i>Science</i> 229:869-871 (1985). ✓
	Binkert et al., "Cloning, Sequence Analysis and Expression of a cDNA Encoding a Novel Insulin-like Growth Factor Binding Protein (IGFBP-2)," <i>The EMBO J.</i> 8(9):2497-2502 (1989). ✓
	Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," <i>Science</i> , 247:1306-1310 (1990). ✓
	Brennan et al., <i>Lancet</i> , vol.2 (8657), pp. 244-247 (1989). ✓
	Brockhaus et al., "Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies," <i>Proc. Natl. Acad. Sci. USA</i> 87:3127-3131 (1990). ✓
	Capaldi et al., "Changes in Order of Migration of Polypeptides in Complex III and Cytochrome c Oxidase under Different Conditions of SDS Polyacrylamide Gel Electrophoresis," <i>Biochem. & Biophys. Res. Comm.</i> 74(2):425-433 (1977). ✓
	Carlino et al., "Use of a Sensitive Receptor Binding Assay to Discriminate Between Full-Length and Truncated Human Recombinant TNF Proteins", <i>J. Biol. Chem.</i> 262(3):958-961 (1987). ✓
	Colletti et al., "The Production of Tumor Necrosis Factor Alpha and the Development of a Pulmonary Capillary Injury Following Hepatic Ischemia/Reperfusion," <i>Transplantation</i> 49(2):268-272 (1990). ✓
	Creasey et al., "A High Molecular Weight Component of the Human Tumor Necrosis Factor Receptor is Associated with Cytotoxicity," <i>Proc. Natl. Acad. Sci. USA</i> 84:3293-3297 (1987). ✓
	Dayer et al., "Purification and Characterization of Human Tumor Necrosis Factor α Inhibitor," <i>Chemical Abstracts</i> 113(38760n):454 (1990). ✓
	Dembic et al., "Two Human TNF Receptors Have Similar Extracellular, But Distinct Intracellular, Domain Sequences," <i>Cytokine</i> 2(4):231-237 (1990). ✓
	Engelmann et al., "A Tumor Necrosis Factor-Binding Protein Purified to Homogeneity from Human Urine Protects Cells from Tumor Necrosis Factor Toxicity," <i>J. Biol. Chem.</i> 264(20):11974-11980 (1989). ✓
	Engelmann et al., "Antibodies to a Soluble Form of a Tumor Necrosis Factor (TNF) Receptor Have TNF-Like Activity," <i>J. Biol. Chem.</i> 265(24):14497-14504 (1990). ✓
	Engelmann et al., "Two Tumor Necrosis Factor-Binding Proteins Purified From Human Urine," <i>J. Biol. Chem.</i> 265(3):1531-1536 (1990). ✓
	Espevik et al., "Characterization of Binding and Biological Effects Monoclonal Antibodies Against a Human Tumor Necrosis Factor Receptor," <i>J. Exp. Med.</i> 171:415-426 (1990). ✓
	Evans et al., "The Steroid and Thyroid Hormone Receptor Superfamily," <i>Science</i> 240:889-895 (1988). ✓
2	Frohman et al., "Rapid production of full-length cDNAs from rare transcripts: Amplification using a single gene-specific oligonucleotide primer," <i>Proc. Natl. Acad. Sci. USA</i> 85:8998-9002 (1988). ✓

RECEIVED
FEB 1998
GROUP 1800


2/98



92	Gatanaga et al., "Purification and Characterization of an Inhibitor (Soluble Tumor Necrosis Factor Receptor) for Tumor Necrosis Factor and Lymphotoxin Obtained from the Serum Ultrafiltrates of Human Cancer Patients," <i>Proc. Natl. Acad. Sci. USA</i> 87:8781-8784 (1990). —
	Goodson et al., "Site-Directed Pegylation of Recombinant Interleukin-2 At Its Glycosylation Site," <i>BioTechnology</i> 8:343-346 (1990). —
	Goodwin et al., "Molecular Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor," <i>Molecular and Cell Biology</i> 11(6):3020-3026 (1991). —
	Gray et al., "Cloning of Human Tumor Necrosis Factor (TNF) Receptor cDNA and Expression of Recombinant soluble TNF-Binding Protein," <i>Proc. Natl. Acad. Sci. USA</i> 87(19):7380-7384 (1990). —
	Grizzard et al., "Affinity-Labeled Somatomedin-C Receptors and Binding Proteins from the Human Fetus," <i>J. Clin. Endocrinol. & Metab.</i> 58(3):535-543 (1984). —
	Hale et al., "Cytokines and Their Receptors: From Clonal to Clinical Investigation, Demonstration of <i>In Vitro</i> and <i>In Vivo</i> Efficacy of Two Biologically Active Human Soluble TNF Receptors Expressed in <i>E. Coli</i> ," <i>J. Cell. Biochem. Suppl.</i> 15F:113 (1991). —
	Hass et al., "Characterization of Specific High Affinity Receptors for Human Tumor Necrosis Factor on Mouse Fibroblasts," <i>J. Biol. Chem.</i> 260(22):12214-12218 (1985) —
	Hatakeyama et al., "Interleukin-2 Receptor β Chain Gene: Generation of Three Receptor Forms by Cloned Human α and β Chain cDNA's," <i>Science</i> 244:551-556 (1989). —
	Hauser et al., "Cytokine Accumulations in CSF of Multiple Sclerosis Patients: Frequent Detection of Interleukin-1 and Tumor Necrosis Factor but not Interleukin-6," <i>Neurology</i> 40:1735-1739 (1990). —
	Heller et al., "Amplified Expression of Tumor Necrosis Factor Receptor in Cells Transfected with Epstein-Barr Virus Shuttle Vector cDNA Libraries," <i>J. Biol. Chem.</i> 265(10):5708-5717 (1990). —
	Heller et al., "Complementary DNA Cloning of a Receptor for Tumor Necrosis Factor and Demonstration of a Shed Form of the Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 87:6151-6155 (1990). —
	Himmeler et al., "Molecular Cloning & Expression of Human & Rat Tumor Necrosis Factor Receptor Chain (p60) and Its Soluble Derivative, Tumor Necrosis Factor-Binding Protein," <i>DNA and Cell Biology</i> 9(10):705-715 (1990). —
	Hofman et al., "Tumor Necrosis Factor Identified in Multiple Sclerosis Brain," <i>J. Exp. Med.</i> 170:607-612 (1989). —
	Hohmann et al., "Two Different Cell Types Have Different Major Receptors for Human Tumor Necrosis Factor (TNF alpha)," <i>J. Biol. Chem.</i> 264(25):14927-14934 (1989) —
	Israel et al., "Binding of Human TNF-alpha to High-Affinity Cell Surface Receptors: Effect of IFN," <i>Immunol. Lett.</i> 12:217-224 (1986). —
	Kasukabe et al., "Purification of a Novel Growth Inhibitory Factor for Partially Differentiated Myeloid Leukemic Cells," <i>J. Biol. Chem.</i> 263(11):5431-5435 (1988). —
	Kohno et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor," <i>Proc. Natl. Acad. Sci. USA</i> 87:8331-8335 (1990). —
	Kull et al., "Cellular Receptor for 125 I-Labeled Tumor Necrosis Factor: Specific Binding, Affinity Labeling, and Relationship to Sensitivity," <i>Proc. Natl. Acad. Sci. USA</i> 82:5756-5760 (1985). —
	Lantz et al., "Characterization <i>In Vitro</i> of a Human Tumor Necrosis Factor-Binding Protein," <i>J. Clin. Invest.</i> 86(5):1396-1402 (1990) —
9	Le et al., "Tumor Necrosis Factor and-Interleukin 1: Cytokines with Multiple Overlapping Biological Activities," <i>Lab Investigation</i> 56(3):234-248 (1987). —

DPR

3/98




22	Lee et al., "Generation of cDNA Probes Directed by Amino Acid Sequence: Cloning of Urate Oxidase," <i>Science</i> 239:1288-1291 (1988). ✓
	Lehmann et al., "Demonstration of Membrane Receptors for Human Natural and Recombinant ¹²⁵ I-Labeled Tumor Necrosis Factor on HeLa Cell Clones and Their Role in Tumor Cell Sensitivity," <i>Eur. J. Biochem.</i> 158:1-5 (1986).
	Leung et al., "Growth Hormone Receptor and Serum Binding Protein: Purification, Cloning and Expression," <i>Nature</i> 330:537-543 (1987). ✓
	Liao et al., "Characterization of a Human Interleukin 1 Inhibitor," <i>J. Immunol.</i> 134(6):3882-3886 (1985).
	Liao et al., "Identification of a Specific Interleukin 1 Inhibitor in the Urine of Febrile Patients," <i>J. Exp. Med.</i> 159:126-136 (1984). ✓
	Liblau et al., "Tumor Necrosis Factor- α and Disease Progression in Multiple Sclerosis," <i>New Engl. J. Med.</i> 326(4):272-273 (1992).
	Lindvall et al., "Modulation of the Constitutive Gene Expression of the 55 KD Tumor Necrosis Factor Receptor in Hematopoietic Cells," <i>Biochem. & Biophys. Res. Comm.</i> 172(2):557-563 (1990).
	Loetscher et al., "Molecular Cloning and Expression of the Human 55kd TNF Necrosis Factor Receptor," <i>Cell</i> 61:351-359 (1990). ✓
	Loetscher et al., "Recombinant 55-kDa Tumor Necrosis Factor (TNF) Receptor," <i>J. Biol. Chem.</i> 266(27):18324-18329 (1991). ✓
	March et al., "Cloning, Sequence and Expression of Two Distinct Human Interleukin-1 Complementary DNAs," <i>Nature</i> 315:641-647 (1985). ✓
	Neda, Hiroshi, "Analysis of the Tumor Necrosis Factor (TNF) Receptor of Various Tumor Cells," <i>Tumor Necrosis Factor, (TNF) Receptor</i> 56(2):305-317 (1987). (Abstract in English). ✓
	Nexo et al., "Lectin-Agarose Immobilization, a New Method for Detecting Soluble Membrane Receptors," <i>J. Biol. Chem.</i> 254(18):8740-8743 (1979). ✓
	Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor," <i>The EMBO J.</i> 9(10):3269-3278 (1990). ✓
	Novick et al., "Soluble Cytokine Receptors are Present in Normal Human Urine," <i>J. Exp. Med.</i> 170:1409-1414 (1989). ✓
	Novick et al., "Soluble Cytokine Receptors are Present in Normal Human Urine," <i>The Physiological and Pathological Effects of Cytokines</i> , pp. 413-421 (1990). ✓
	Novick et al., "Purification of Soluble Cytokine Receptors from Normal Human Urine by Ligand-Affinity and Immunoaffinity Chromatography," <i>J. Chromatog.</i> 510:331-337 (1990). ✓
	Olsson et al., "Isolation and Characterization of a Tumor Necrosis Factor Binding Protein from Urine," <i>Eur. J. Haematology</i> 42(3):270-275 (1989). ✓
	Peetre et al., "A Tumor Necrosis Factor Binding Protein is Present in Human Biological Fluids," <i>Eur. J. Haematology</i> 41:414-419 (1988). ✓
	Peppel et al., "A Tumor Necrosis Factor (TNF) Receptor-IgG Heavy Chain Chimeric Protein as a Bivalent Antagonist of TNF Activity," <i>J. Exp. Med.</i> 174:1483-1489 (1991). ✓
✓	Piguet et al., "Tumor Necrosis Factor/Cachectin Plays a Key Role in Bleomycin-Induced Pneumopathy and Fibrosis," <i>J. Exp. Med.</i> 170:655-663 (1989). ✓

RECEIVED
FEB 1998
GROUP 1800

Y DHE


8/98



YD	Powell et al., "Lymphotoxin and Tumor Necrosis Factor-alpha Production by Myelin basic Protein-Specific T Cell Clones Correlates With Encephalitogenicity," <i>International Immunology</i> 2(6):539-544 (1990). ✓
	Rhein et al., "Another Sepsis Drug Down--Immunex ¹ TNF Receptor," <i>Biotechnology Newswatch</i> , pg. 1, 3(Monday, October 4, 1993). ✓
	Ruddle et al., "An Antibody to Lymphotoxin and Tumor Necrosis Factor Prevents Transfer of Experimental Allergic Encephalomyelitis," <i>J. Exp. Med.</i> 172:1193-1200 (1990). ✓
	Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor," <i>Cell</i> 61:361-370 (1990) ✓
	Scheurich et al., "Quantification and Characterization of High-Affinity Membrane Receptors for Tumor Necrosis Factor on Human Leukemic Cell Lines," <i>Int. J. Cancer</i> 38(1):127-133 (1986). ✓
	Seckinger et al., "A Human Inhibitor of Tumor Necrosis Factor Alpha," <i>J. Exp. Med.</i> 167:1511-1516 (1988) ✓
	Seckinger et al., "A Urine Inhibitor of Interleukin 1 Activity Affects Both Interleukin 1 α and 1 β But Not Tumor Necrosis Factor α ," <i>J. Immunol.</i> 139(5):1541-1545 (1987) ✓
	Seckinger et al., "Characterization of a Tumor Necrosis Factor α (TNF- α) Inhibitor: Evidence of Immunological Cross-Reactivity with the TNF Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 87:5188-5192 (1990). ✓
	Seckinger et al., "A Urine Inhibitor of Interleukin 1 Activity That Blocks Ligand Binding," <i>J. Immunol.</i> 139(5):1546-1549 (1987). ✓
	Seckinger et al., "Purification and Biologic Characterization of a Specific Tumor Necrosis Factor α Inhibitor," <i>J. Biol. Chem.</i> 264(20):11966-11973 (1989) ✓
	Selmaj et al., "Proliferation of Astrocytes In Vitro In Response to Cytokines: A Primary Role for Tumor Necrosis Factor," <i>J. Immunol.</i> 144(1):129-135 (1990). ✓
	Selmaj et al., "Tumor Necrosis Factor Mediates Myelin and Oligodendrocyte Damage In Vitro," <i>Annals of Neurology</i> 23(4):339-346 (1988). ✓
	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins," <i>Science</i> 248:1019-1023 (1990) ✓
	Smith et al., "Species Specificity of Human and Murine Tumor Necrosis Factor," <i>J. Biol. Chem.</i> 261(32):14871-14874 (1986). ✓
	Socher et al., "Antibodies against amino acids 1-15 of tumor necrosis factor block its binding cell-surface receptor," <i>Proc. Natl. Acad. Sci. USA</i> 84:8829-8833 (1987). ✓
	Spinas et al., "Induction of Plasma Inhibitors of Interleukin 1 and TNF-Alpha Activity by Endotoxin Administration to Normal Humans," <i>Am. J. Physiol.</i> 259:R993-R997 (1990). ✓
	Stauber et al., "Human Tumor Necrosis Factor-alpha Receptor," <i>J. Biol. Chem.</i> 263(35):19098-19104 (1988). ✓
	Stauber et al., "Characterization and Affinity Cross-Linking of Receptors for Human Recombinant Lymphotoxin (Tumor Necrosis Factor-Beta) on a Human Histiocytic Lymphoma Cell Line U-937," <i>J. Biol. Chem.</i> 264(6):3573-3576 (1989). ✓
	Suffys et al., "Involvement of a Serine Protease in Tumour-Necrosis-Factor-Mediated Cytotoxicity," <i>Eur. J. Biochem.</i> 178:257-265 (1988). ✓
✓	Suggs et al., "Use of Synthetic Oligonucleotides as Hybridization Probes: Isolation of Cloned cDNA Sequences for Human β 2-Microglobulin," <i>Proc. Natl. Acad. Sci. USA</i> 78(11):6613-6617 (1981) ✓

GWD

3/9 ✓



	The Cytokine Factsbook, Callard (ed.), Academic Press Inc., San Diego, CA., pp. 244-246 (1994).
	Tracey et al., "Anti-Cachectin/TNF Monoclonal Antibodies Prevent Septic Shock During Lethal Bacteraemia," <i>Nature</i> 330:662-664 (1987). ✓
	Tracey et al., "Cachectin/Tumor Necrosis Factor Induces Cachexia, Anemia, and Inflammation," <i>J. Exp. Med.</i> 167:1211-1227 (1988). ✓
	Tracey et al., "Metabolic Effects of Cachectin/Tumor Necrosis Factor Are Modified by Site of Production," <i>J. Clin. Invest.</i> 86:2014-2024 (1990). ✓
	Tracey et al., "Physiological responses to cachectin," <i>Tumor necrosis factor and related cytotoxins</i> Wiley, Chichester (Ciba Foundation Symposium 131), pp. 88-108 (1987).
	Tsujimoto et al., "Characterization and Affinity Crosslinking of Receptors for Tumor Necrosis Factor on Human Cells," <i>Archives of Biochem. & Biophys.</i> 249(2):563-568 (1986). ✓
	Unglaub et al., "Downregulation of Tumor Necrosis Factor (TNF) Sensitivity Via Modulation of TNF Binding Capacity by Protein Kinase C Activators," <i>J. Exp. Med.</i> 166:1788-1797 (1987). ✓
	Vilcek et al., "Tumor Necrosis Factor: Receptor Binding and Mitogenic Action in Fibroblasts," <i>J. Cell. Physio. Supplement</i> 5:57-61 (1987). ✓
	Vitt et al., "Biological and Structural Characterization of the Tumor Necrosis Factor Receptor on Multiple Cell Types: Relationship to Function," <i>Fed. Proc. 78th Annual meeting of the American Society of Biological Chemists</i> 46(6):2117 (1987). ✓
	Wallach et al., "Mechanisms Which Take Part in Regulation of the Response to Tumor Necrosis Factor," <i>Lymphokine Research</i> 8(3):359-363 (1989). ✓
	Wallach, David, "Preparations of Lymphotoxin Induce Resistance to Their Own Cytotoxic Effect," <i>J. Immunol.</i> 132(5):2464-2469 (1984). ✓
	Wallach et al., "Regulation of the Response to Tumor Necrosis Factor," Bonavida, Gifford, Kirchner, Old (eds), <i>Tumor Necrosis Factor/Cachectin and Related Cytokines Int. Conf. Tumor Necrosis Factor and Related Cytotoxins, Heidelberg</i> 1987, pp. 134-147 (1988). ✓
	Walsh et al., "Isolation and Purification of ILS, an Interleukin 1 Inhibitor Produced by Human Gingival Epithelial Cells," <i>Clin. Exp. Immunol.</i> 68:366-374 (1987). ✓
	Weber et al., "Production of an Epidermal Growth Factor Receptor-Related Protein," <i>Science</i> 224:294-297 (1984). ✓
	Yoshie et al., "Binding and Crosslinking of ¹²⁵ I-Labeled Recombinant Human Tumor Necrosis Factor to Cell Surface Receptors," <i>J. Biochem.</i> 100:531-541 (1986). ✓
	Zeigler, Elizabeth J., "Tumor Necrosis Factor in Humans," <i>New Engl. J. Med.</i> 318(23):1533-1535 (1988). ✓

Examiner

Date Considered

*Examiner:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.